


VAUGHAN
HARDWARE



W. C. VAUGHAN COMPANY
32-36 PITTS STREET
P.O. Box #126
BOSTON 14, MASSACHUSETTS

Catalog #26R

INDEX

PAGE	PAGE
Blind Hold Back — Iron 15	Knob, Cupboard — Lucite 5
Bolt, Door — Iron 14-15-16	Knob, Cupboard — Porcelain 10
Button, Electric Push — Brass 3	Knob, Cupboard — Decorated Porcelain ... 10
Catch, Throwover — Iron 14-16	Knob, Door — Brass 17
Closet Spindle — Brass 4	Knob, Door — Brass — Large 9
Cover, Cylinder — Brass 3	Knob, Door — Lucite 5
Cover, Cylinder — Iron 15	Knob, Door — Porcelain 10
Dimensions of Knobs & Levers 13	Knob, Door — Decorated Porcelain 10
Drop Latch — Iron 14-15-16	Knob, Door — Wooden 17
Escutcheon, Bit Key — Brass 3	Knob, Door — Wooden Top 17
Handle, Drawer Pull — Iron 16	Knob, Turn — Brass 3
Handle, Drawer Pull — Lucite 5	Knob, Turn — Iron 15
Handle, Drop Ring Colonial — Brass 4	Latch, Drop — Iron 14-15-16
Handle, Flush Drop Ring — Brass 4	Latch, Square — Iron 16
Handle, Front Door — Brass 11	Latch, Thumb — Brass 11
Handle, Lever — Brass 4	Latch, Thumb — Iron 14-15-16
Handle, Lever — Lucite 5	Lock, Brass Rim — Bit Key 11
Handle, "T" — Lucite 5	Lock, Brass Rim — Cylinder Front Door .. 11
Hinge, Butterfly — Iron 14	Lock, Brass Rim — Cylinder Vestibule ... 11
Hinge, "H" — Iron 14-16	Numbering System for Knobs 2
Hinge, "H & L" — Iron 14-16	Profiles of Knobs & Levers 12
Hinge, Recessed (Harmon) — Brass 6	Roses, Large — Brass 9
Hinge, Strap — Iron 14-15	Shutter Fastener — Iron 15
Interlocking Device 18	Spindle, Closet — Brass 4
Knob, Door — Boston Glass 7	Spindling Knobs 2
Knob, Cupboard — Brass 8	Thumb Latch — Brass 11
Thumb Latch — Iron 14-15-16	

"See price book for information concerning finishes".

W·C·VAUGHAN·CO

VAUGHAN HISTORY

The W. C. Vaughan Company was incorporated in 1902 and has concentrated on the manufacture of high quality builders hardware. Mr. Walter C. Vaughan, founder of the company and its President until his retirement in 1944, believed that neither the customer, dealer nor manufacturer profited from the sale of cheap hardware. He, therefore, established the policy that the company would manufacture builders hardware of superior design, workmanship and finish exclusively. This policy is still in force.

At first all efforts were focused on the Early American and Georgian Periods and examples of the finest types were collected from old houses all over New England and the Atlantic seaboard. These pieces were the beginning of the Vaughan collection of period hardware which now numbers hundreds of items collected in this country and Europe. In time patterns, tools and in some cases machines and workmen were acquired from the Enoch Robinson Co., William Hall Co., L. S. Hall Co. and John Tein Co., whose businesses were established between 1836 and 1883.

Many improvements in manufacturing methods have been made but no short cuts have been taken which injure the design or alter the general character of the product. In this way the charm and distinction of the old pieces has been preserved.

Preoccupation in the designs of a century or two ago has not prevented the W. C. Vaughan Co. from keeping pace with the times and using modern materials. We believe that we were the first in the country to make plastic hardware. Our "Contemporary" designs are approved by many of the most progressive Architects in the nation, and have been exhibited as fine examples of Modern Art.

TERMS: Two per cent discount allowed on payments made within ten days of date of invoice and net cash within thirty days F.O.B. Boston, Mass.

SHIPMENTS: Shipments are made F.O.B. Factory in Boston, Mass., with no freight allowance. The consignee assumes all risk after delivery to the Transportation Company.

At customers request we will make shipments direct to the job. Prepaid transportation charges will be added to the invoice.

PACKAGING: Whenever possible goods will be packed in cardboard boxes. We will mark them with item numbers if requested.

SPINDLES: Our knob & lever prices include 5/16" adjustable spindle. 3/8" center swivel spindle will be furnished at extra cost.

Send Closet Spindles, flush handles, etc., to us with order and we will set them up to our knobs for proper door thickness at an extra charge.

NUMBERING SYSTEM FOR KNOBS:

Designs are indicated by letters VC — LK, etc.

The following base numbers indicate the size.

661	1 3/4" diameter	663	2 1/4" diameter
662	2" diameter	664	2 1/2" diameter
		666	3" diameter

The prefix 5 indicates that the roses are supplied with steel concealed screw discs. This is used on knobs sizes 661 - 662 - 663 & 664.

Example VC 5662

The prefix 4 indicates a 5" diameter rose under the regular rose on 666 size only.

The prefix 3 indicates a 5" diameter rose under the regular rose on 661 - 662 - 663 & 664 sizes.

The prefix 2 indicates a brass concealed screw rose disc on 666 size only.


The base number 671 means cupboard knob.

Sizes are specified separately.


Example VC 671 — 1"

W·C·VAUGHAN·CO

ELECTRIC PUSH BUTTONS



VC 579



VF 579

These push buttons are $1\frac{7}{8}$ " diameter and match cylinder covers of the same design letter. For 6-12 volts. Pearl buttons $1\frac{1}{2}$ " dia. are supplied in place of black buttons shown.


CYLINDER COVERS




FT 679




LK 679



686



VC 679



VF 679

BIT KEY ESCUTCHEONS



652



652 B



652 K



682



842



693

THUMB TURNS



730



730 M



731

Regularly furnished with $\frac{3}{16}$ " spindles set on the square or on the diamond.

Flat spindles set vertically or horizontally and $\frac{5}{16}$ " spindles set on the square or on the diamond can be furnished to order.

Specify spindle required.


W. C. VAUGHAN & CO

LEVER HANDLES




647

5/16" spindle set on square or diamond. Can be supplied with 1-11/16" diameter round concealed screw rose — order #647 R. Round rose with exposed screws can be used with auxiliary spring.



636 — 4"

5/16" — 18 thread spindle with 2 set screws. Specify whether on square or diamond.



FLUSH DROP RING
#620 — 3"

Extreme depth 1/2" under flange. Supplied with 5/16" spindle on square or diamond. Can be spindled with knob on other side or in pairs. Can be used as pull only.

DROP RING
#620/FT53

The post and bail of the ring shown above is available for surface mounting with rose #FT53.

No screws show if the ring is used with a knob on the other side. Screws are exposed when used as a pull.

Total projection is 1/2 inch.

FLUSH SQUASH COURT HANDLE
#620SQ

This is our #620 Flush Drop Ring with a backplate 4" square and a top hinged cover, mounted flush with the face of the door. Allow 7/8" from face of door to case of latch.

NOTE: — for all DROP RING HANDLES. Specify — set of spindle and door thickness. If ordered singly, specify type of spindle and knob to be used on other side.



COLONIAL DROP RING
633 — 2 1/4"
633 — 2 1/2"

7/8" Projection
1" Projection




CLOSET SPINDLE
Type "J"

5/16" adjustable spindle on square or diamond or threaded 18 threads. Specify which.


W. C. VAUGHAN CO

LUCITE HARDWARE

LUCITE DOOR KNOBS & LEVER HANDLES




1179 — 2"



1152

Also made as "T" Handle # 1163




1185 — 2"

5/16 -- 18 thread spindle set on square or diamond.
Specify which.


LUCITE CUPBOARD KNOBS



1192
1 1/4" & 2"




1210 — 2"



1200
7/8 & 1 1/4"

LUCITE DRAWER PULLS



1168 — 4 1/2"

Can be furnished to order in
lengths up to 48". Price on
application.



1165
3/8" Rod
3" Centers



1166
3/8" Rod
3 3/8" Centers




1170
3/8" Rod

1167
1/2" Rod
4 1/8" Centers


1171
1/2" Rod

W·C·VAUGHAN·CO


HARMON (RECESSED) HINGE



PLAN SHOWING PAIR OF DOORS




DOOR IN OPEN POSITION
Only center portion of hinge shows



SECTION THROUGH HINGE


W. C. VAUGHAN CO




DOOR IN CLOSED POSITION
Face of hinge shows in pocket jamb

DIMENSIONS			
DOOR	$1\frac{3}{4}$	2	$2\frac{1}{4}$
A	$1\frac{3}{4}$	2	$2\frac{1}{4}$
B	$\frac{7}{8}$	1	$1\frac{1}{8}$
R	$1\frac{7}{32}$	$1\frac{15}{32}$	$1\frac{21}{32}$


BOSTON GLASS KNOBS




01
Plain round, flat face
Sizes — 2" & 2 1/4"




1
Plain round
Size — 2 1/4"



57
Colonial Octagon
Size — 2 1/4"



1 HS
Plain round — Hospital Shank
Size — 2 1/4"



59
Round, silver center
Octagon neck
Size — 2 1/4"


Knobs are broached for 5/16" adjustable spindles.

These spindles will not adjust for 1 3/8" to 1 3/4" doors. It is necessary to specify door thickness.


BE SURE TO GIVE THICKNESS OF
DOOR WHEN ORDERING

W. C. VAUGHAN & CO


DOOR KNOBS



DO 5662
DO 5663
DO 5664
DO 671 — 1 1/8"




FT 5662
FT 5663
FT 671 — 1 1/4"




KB 5661
KB 5662
KB 5663
KB 5664




LK 5661
LK 5662
LK 5663
LK 671 — 1"
LK 671 — 1 1/4"




MH 5662
MH 5663
MH 671 — 1 1/4"




NM 5661
NM 5662
NM 5663



OV 5662
OV 5663
OV 671 — 1 1/8"
Specify on square or diamond.



VC 660
VC 5661
VC 5662
VC 5663
VC 5664
VC 2666
VC 671 — 1"
VC 671 — 1 1/4"



VF 5663
VF 5664
VF 2666
VF 671 — 1"
VF 671 — 1 1/4"

SPINDLES


The 661 size (1-3/4") of KB-LK-NM & VC and OV662 & OV663 have broached shanks. All other door knobs on this page use 5/16 — 18 thread spindles.

Always specify door thickness.

See Page #17 for RL and VR design metal knobs.

W·C·VAUGHAN·CO


LARGE DOOR KNOBS



NG 2666
Also available —
NG 5662
NG 5664




OG 2666
x special rose



OG 2666
See also VC 2666:

3" diameter knobs can not be used on locks with less than $3\frac{1}{2}$ " backset. They are commonly used in the center of large doors for use as pulls or for ornament. Special deep backset locks can be furnished to order with full cylinder lock functions and the knob in the center of the door.




All knobs on this page use 5/16 — 18 thread spindles.

LARGE ROSES

5" diameter roses can be furnished for 666 size knobs, use prefix 4. Example — NG 4666. 5" diameter roses can be furnished for DO, KB, LK, OV, VC and VF design knobs in all sizes, use prefix 3 — Example VF 3664.

VF 3664



DY — 2"
Rosewood

WOODEN DOOR KNOBS


5/16 — 18 threaded spindles

Wooden top knobs with metal shanks the same shape as #1179 Lucite knobs are available in Ebony or Walnut, 2" and $2\frac{1}{4}$ " sizes.

Specify number 1179-W — state size, wood and finish.

See Page #17 for CS and RL design wooden knobs.

The knobs illustrated made of the woods noted are stocked. These knobs can be furnished to order made of Mahogany, Black Walnut, Coco-bolo, Lignum-Vitae and other exotic woods.



FW — $2\frac{1}{8}$ "
Ebony

W·C·VAUGHAN·CO

PORCELAIN DOOR KNOBS



52001 — 1 $\frac{3}{4}$ " White
52001 — 2 $\frac{1}{4}$ " White



2006 — 1 $\frac{1}{4}$ "
Cupboard Knob

All door knobs on this page have broached shanks.

DECORATED PORCELAIN DOOR KNOBS




52010 — AB
Gold arabesque border —
pink and blue flowers.



52010 — AC
Pink rose — gold leaves.



52010 — AH
Pink rose — large lavender
flower — small blue flowers.



52010 — AL
Pink rose — red, yellow and
blue flowers.




52010 — AP
Yellow and pink rose —
tiger lily — small purple and
blue flowers.



52010 — AQ
Blue Canton China design.



52010 — HA
Gold arabesque border —
design in pink, yellow, blue,
purple and green.



2007 — AB 1 $\frac{1}{4}$ "
Cupboard Knob
All Designs Available



52010 — HE
Gold border — red rose —
yellow and purple flowers.

52010 — GB
Gold band as HE design,
no flowers.

All designs are available in 1 $\frac{3}{4}$ " and 2 $\frac{1}{4}$ " size.

Always specify whether these knobs are to be used with hubs set on the square or diamond.

Our decorated porcelain knobs are hand painted and fired in a kiln. The designs are as permanent and color fast as the finest table china. We can not guarantee that every knob of a given design will be exact duplicates because they are painted by hand. Please do not ask for changes or color substitutions.

W. C. VAUGHAN CO

BRASS THUMB LATCHES



570
9 1/4"

576 S
10 1/4"



578
10 1/4"



577
8 1/2"


Can be supplied with short tail pieces to operate cylinder locks.

BRASS RIM LOCKS

BIT KEY LOCKS

1775
3 1/2 x 5-13/16
4 7/8 Backset

*either 39.52
brass or
in black*



1776
4 3/8 x 7 3/4
6" Backset

*20
59.72*

These locks can be supplied with dummy box strikes.

CYLINDER FRONT DOOR & VESTIBULE LOCKS

1777
Front Door
4 3/8 x 7 3/4
Backset —
Cylinder 2 1/2"
Knob 6"



1779
Vestibule
4 3/8 x 7 3/4
Backset —
Cylinder 2 1/2"
Knob 6"

Operation:

Latch Bolt by knob from either side. Both bolts by key from outside at all times. Dead Bolt by fixed key on lock from inside. Outside knob is locked by slide under case.

These locks can be supplied with dummy box strikes. These locks are operated by rim cylinders with flat tail pieces set vertically or horizontally.


Operation:

By knob from either side & by key from outside at all times. Outside knob is locked by slide under case.


W·C·VAUGHAN·CO

PROFILES OF KNOBS & LEVERS


See Table on page 13 for dimensions




DO




FT




KB




LK




MH




NM




OV




VC




VF




52001
52010




1179




1185




DY




FW




636




647




1152




1163



NG



OG Special



OG



1 HS



01



1



57



59

W·C·VAUGHAN·CO

DIMENSIONS OF KNOBS & LEVERS

BRASS KNOBS

KNOB #	DIAMETER	PROJECTION	ROSE DIAMETER	ROSE #
DO 5662	1-15/16	17/8	17/8	DO 51
DO 5663	21/8	2	2	DO 52
DO 5664	21/2	2-5/16	21/4	DO 53
FT 5662	2	1-13/16	2	FT 52
FT 5663	21/4	1-13/16	21/4	FT 53
KB 5661	13/4	2-1/32	17/8	VC 52
KB 5662	2	2-7/32	17/8	VC 52
KB 5663	21/4	2-15/32	21/4	VC 53
LK 5661	13/4	2-1/32	17/8	VC 52
LK 5662	2	2-7/32	17/8	VC 52
LK 5663	21/4	2-15/32	21/4	VC 53
MH 5662	2-1/16	1-25/32	2	FT 52
MH 5663	21/4	2-1/32	21/4	FT 53
NG 2666	3	23/4	23/4	VC 26
NM 5661	13/4	2-3/16	17/8	VC 52
NM 5662	2	23/8	17/8	VC 52
OG 2666	3	2-15/16	23/4	VC 26
OG 2666 —				
Special Rose	3	3-5/16	3-7/16	Special
OV 5662	1-11/32 x 17/8	1-15/16	17/8	VC 52
OV 5663	15/8 x 21/8	2-5/16	17/8	VC 52
VC 5661	13/4	2-1/32	17/8	VC 52
VC 5662	2	2-7/32	17/8	VC 52
VC 5663	21/4	2-15/32	21/4	VC 53
VC 2666	3	23/4	23/4	VC 26
VF 5663	2-3/16	2-1/16	21/4	VF 53
VF 5664	2-7/16	2-5/16	21/4	VF 53

GLASS KNOBS

01 — 2	2-1/16	13/8	1-9/16	1 — 2"
01 — 21/4	21/4	1-11/16	1-15/16	1 — 21/4
1 — 21/4	2-3/16	23/8	1-15/16	1 — 21/4
1 HS — 21/4	2-3/16	23/8	1-15/16	1 — 21/4
9 — 21/4	21/4	2-7/16	1-15/16	1 — 21/4
57 — 21/4	2-5/16	2-5/16	1-15/16	1 — 21/4
59 — 21/4	21/4	2-7/16	1-15/16	1 — 21/4

LUCITE KNOBS

1179 — 2"	2	1-9/16	2	FT — 52
1185 — 2"	2	3-1/32	2	FT — 52

PORCELAIN KNOBS

52001 — 13/4	13/4	2	17/8	VC 52
52001 — 21/4	21/4	2-1/16	17/8	VC 52
52010 — 13/4	13/4	2	17/8	VC 52
52010 — 21/4	21/4	2-1/16	17/8	VC 52

WOODEN KNOBS

DY — 2	2	1-9/16	17/8	DO 51
FW — 21/8	21/8	1-9/16	17/8	DO 51

LEVER HANDLES

636 — 4		11/2	2	FT 52
647		1-15/16	1-1/16 x 21/4	647
647 R		2-1/16	1-11/16	647 R
1152		21/8	2	FT 52
1163		21/8	2	FT 52

LARGE ROSES

Prefix 3 and 4 — add 3/16" to projection of knob.

Dimensions in this table are subject to the following tolerances:—

Brass knobs 2" and under, diameter plus 0 minus 1/32

Brass knobs 21/4" and over, diameter plus 0 minus 1/16

Glass knobs diameter, plus 0 minus 0

Lucite knobs diameter, plus 0 minus 1/32

Porcelain knobs diameter, plus 0 minus 0

Wooden knobs diameter, plus 1/32 minus 1/32


Projection — all knobs plus or minus 1/32.

All Vaughan knobs and all levers except 647 x oval rose are supplied with concealed screw discs.


W·C·VAUGHAN·CO

COLONIAL HARDWARE

FOR INTERIOR DOORS




4001 X 4022 8" 4002 X 4022 7 1/2" 4003 X 4022 8 3/4" 4004 X 4022 9 1/4" 4005 X 4022 7 1/2" 4006 X 4022 8" 4008 X 4022 6 3/4"




#4020
REVERSE BEVEL DROP LATCH


Dimensions are overall
THUMB LATCH SETS



#4022
DROP LATCH
INCLUDED IN SETS



H&L HINGE
#4060
3"-4" & 7"



BOLT #4044 - 3"

H HINGE
#4061
3"-4" & 7"



#4060 & 4061 HINGES ARE NOT HAMMERED




THROW OVER
CATCH #4069

BRASS KNOB

CUPBOARD HARDWARE





BUTTERFLY HINGE
#4094
1 1/4" x 2 3/8"



THROW OVER
CATCH #4086


W.C. VAUGHAN CO

FOR EXTERIOR DOORS



BOLT #4044-4"

STRAP HINGES



SHUTTER HARDWARE




W. C. VAUGHAN CO


WROUGHT IRON HARDWARE



BOLT #83 — 3" & 4"



BOLT #85 — 6"



H & L HINGE
#516

H HINGE
#517

SIZES 3" - 4" - 7"



#0011

#011

THUMB LATCHES

Interior Doors

#0011 — 6 $\frac{3}{4}$ " Tall

#0063 — 7 $\frac{3}{4}$ " Tall

Exterior Doors

#011 — 7 $\frac{3}{4}$ " Tall

#063 — 8 $\frac{1}{2}$ " Tall



#0063

#063

DROP LATCHES

Interior Doors


#0011 — 7" Long

#0011C Reverse Bevel

Exterior Doors


#011 — 8" Long

#011C Reverse Bevel




#0011

#011




#0011C

#011C



#402




#404

SQUARE LATCHES

Oval Knob X Rose on Other Side

For OV662 knob on both sides
specify 402-1/2 and 404-1/2.



#69BK

#69BK — 4"



#186

THROW OVER CATCHES

FINISHES

Half Polished Iron & Dead Black

Illustrations on this Page are
Approximately $\frac{1}{4}$ Full Size



#473

4 $\frac{5}{8}$ " c. to c.

DRAWER PULL


W. C. VAUGHAN & CO

DOOR KNOBS

"Contemporary — Wood and Metal"
Previously shown on Prints #1250 and VR662.



METAL KNOBS



	Dia.	Proj.	Rose
RL5663	2-1/4	1-11/16	FT53
RL5664	2-1/2	2	FT53

	Dia.	Proj.	Rose
VR5662	2-1/16	2-1/2	FT52
VR5663	2-3/8	3"	FT53




WOODEN KNOBS



	Dia.	Proj.	Rose
RL — 2-1/8	2-1/8	1-9/16	FT52
Cupboard Knob			
RLC — 1-1/2	1-1/2	1-1/16	None
Coco-Bolo & Ebonite			

	Dia.	Proj.	Rose
CS — 2-1/8	2-1/8	2"	FT52
CS — 2-3/8	2-3/8	2-1/4"	FT53
CS — 3-1/2	3-1/2	3-1/8	FT58

CS design is made in Coco-Bolo only.



WOOD TOP KNOBS	Dia.	Proj.	Rose
RL 1179 CB — 2-1/4	2-1/4	2-1/6	FT53
RL 1179 CB — 2-3/4	2-3/4	2-1/8	FT54
RL 1179 CB — 3"	3"	2-1/4	FT56

CUPBOARD KNOB	Dia.	Proj.	Rose
CSC — 1-1/2	1-1/2	1"	None
CSC — 2-1/8	2-1/8	1-1/4"	None

SPINDLES: — All door knobs shown on this page have shanks threaded 18 threads per inch.
See price book Page #9 for spindles.

W·C·VAUGHAN·CO

TITLE INTERLOCKING DEVICE #1162 FOR COMMUNICATING TOILETS BETWEEN HOSPITAL ROOMS	W.C. VAUGHAN, CO. BUILDERS' HARDWARE 32-36 PITTS STREET, BOSTON MASS.		
	SCALE	DATE	NO
	00 NOT	5/1/52	1162 A
FOR			

IMPORTANT NOTES

OPERATION

The doors are not locked except when the toilet room is in use. To lock both doors turn either lever down into its keeper. The other lever locks the opposite door automatically.

EMERGENCY KEY

The doors may be unlocked from the outside from either room with the emergency key. Two keys are supplied for each nurse's station.

DOOR LOCATION

The doors must be exactly opposite each other.

DOOR SWING

Due to the small size of the toilet rooms the doors must often open out. The device will operate equally well on inswinging doors.

DOORS MUST BE SELF-CLOSING

The doors must be equipped with closers so that the keepers will be in the correct position to receive the levers.

FRAME DETAIL

The frame must be as shown on this print, however, the partition may be thicker. If doors open in the face of the door must be 5/16" back from the face of the frame.

FINISH

Key plate - to paint
 Emergency key - Plain steel
 Spindle - Plain steel
 All other parts - dull chromium plate (symbol US26D)

SIGNAL SWITCH

This device can be arranged to operate a micro-switch to light signal lamps in each room to indicate that the toilet is in use.

OTHER HARDWARE SUPPLIED BY OTHERS

1. Hixon uni-check or bulks and closer
2. Hospital arm pull
3. Push Plate
4. Three (3) J65 silencers on the door
5. Mortise bolt with turn on the room side if privacy is required.




USERS

Beth Israel, Pratt Diagnostic & Carney Hospitals in Boston
 St. Vincent's Hospital - Worcester, Mass.
 Brockton Hospital - Brockton, Mass.
 Lawrence Memorial Hospital - Medford, Mass.
 Bon Secours Hospital - Lawrence, Mass.
 Lynn Hospital - Lynn, Mass.
 Woonsocket Hospital - Woonsocket, R.I.
 St. Luke's Hospital - New Bedford, Mass.


INFORMATION REQUIRED

The following information is required with your order

1. Partition thickness
2. Exact width of Toilet room from frame to frame
3. Wood or metal doors
4. Outswinging or inswinging
5. Send frame detail



KEYPLATE



INTERLOCKING DEVICE #1162

The print shows the basic device which is made in several variations. We have other devices which operate on a different principle and offering four functions. All are made to order. Write for information. Include a frame detail and scale plan of the toilet with your inquiry.

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA